STATEMENT OF WORK (SOW)

for

Inspection and Repair Only As Necessary (IROAN)
of the
AN/TPS-59(V)3
Voltage Regulator
NSN 6110-01-146-7617

- 1.0 <u>Scope</u>. This Statement of Work (SOW) establishes, sets forth tasks and identifies the work efforts that shall be performed by the Contractor to IROAN the AN/TPS-59(V)3 Voltage Regulator, NSN 6110-01-146-7617, part number 77C615247G1, CAGE 03538, (hereafter referred to as Voltage Regulator). This document contains requirements to restore the Voltage Regulator to Condition Code "A." Condition Code "A" is defined as "serviceable/issuable without qualification; new, used, repaired or reconditioned material that is serviceable and issuable to all customers without limitation or restriction, including material with more than six months shelf-life remaining."
- 1.1 <u>Background</u>. IROAN is defined as "That maintenance technique which determines the minimum repairs necessary to restore equipment components or assemblies to prescribed maintenance serviceability standards by utilizing all available diagnostic equipment and test procedures in order to minimize disassembly and parts replacement."
- 2.0 <u>Applicable Documents</u>. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DoDISS) and supplements thereto which are in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirements.
- 2.1 Military Standards

MIL-STD-2073-ID DOD Standard Practice for Military Packaging

MIL-STD-129 DOD Standard Practice for Military Marking

2.2 Other Government Documents and Publications

DOD 4000.25-1-M Military Standard Requisitioning and Issue

Procedures (MILSTRIP)

Engineering Drawing Drawing Assembly, Voltage Regulator

77C615247, CAGE 03538

Engineering Drawing 77C615247G1, CAGE 03538

Parts List, Voltage Regulator

Engineering Drawing 77A100749, CAGE 03538

Test Requirements, Voltage Regulator

Military Handbooks (For Guidance)

MIL-HDBK-61

Configuration Management Guidance

2.3 Industry Standards

ANSI/ISO/ASQC Q9001-2000

Quality Management Systems-Requirements

Industry Standards (For Guidance)

ANSI/EIA-649

National Consensus Standard for Configuration

Management

Copies of Military Standards and Specifications are available from the DOD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, commercial telephone number (215) 697- 2179 or DSN 442-2179, or http://www.dodssp.daps.mil. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Contracts Department (Code 891), P.O. Drawer 43019, 814 Radford Blvd., Marine Corps Logistics Bases, Albany, GA 31704-3019, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from: Supply Chain Management Center, Attn: Code 583-1, 814 Radford Blvd., Suite 20320, Albany, GA 31704-0320, commercial telephone number (229) 639-6476 or DSN 567-6476.

3.0 Requirements

3.1 The Contractor shall repair the Voltage Regulator strictly in accordance with the requirements as specified in Engineering Drawing 77C615247 and Parts List 77C615247G1, CAGE 03538. Testing shall be conducted in accordance with Test Requirement 77A100749, CAGE 03538 and the test results shall be documented in a Test Data Report (TDR). The Contractor shall be responsible for all parts, materials, labor, facilities, tools, and test equipment necessary to IROAN the equipment in accordance with this SOW.

3.2 Packaging, Handling, Storage and Transportation (PHS&T)

3.2.1 The Contractor shall be responsible for preservation and packaging of item(s) being repaired under the terms of this statement of work. Items scheduled for long term storage or shipment to overseas destinations shall be in accordance with the level "A" requirements of MIL-

STD-2073-1D, Appendix A, Table A.VI., Electronic Equipment. Items scheduled for domestic shipment for immediate use or short-term storage shall be in accordance with level "B" requirements.

NOTE: Level "A" preservation and packaging shall normally be required due to the anticipated long-term storage requirements. Exceptions: Items that have a confirmed immediate use will be identified in writing by the Logistics Management Specialist (LMS), Marine Corps Systems Command (MCSC), BMADS, Albany, Georgia 31704-0343.

- 3.2.2 Marking for shipment and storage shall be in accordance with MIL-STD-129.
- 3.2.3 The Marine Corps will provide the Contractor with the shipping address(es) for delivery of the repaired equipment. The Contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.
- 3.3 <u>Configuration Control</u>. The Contractor shall apply configuration control procedures to established configuration baseline items. The Contractor shall not implement configuration changes to an item's documented performance or design characteristics without prior written authorization. All permanent changes to the baseline shall be by Engineering Change Proposal (ECP). If it is necessary to temporarily depart from the authorized configuration, the Contractor shall prepare and submit a Request for Deviation (RFD). MIL-HDBK-61 and ANSI/EIA-649 provide guidance for preparing these configuration control documents.
- 3.4 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM). The Management Control Activity (MCA/Code 571-1) will coordinate GFE/GFM requests and maintain a central control system on all government owned assets in the Contractor's possession. The MCA will forward a GFE Accountability Agreement to the Contractor for signature on an annual basis to establish a chain of custody and identify property responsibilities for Marine Corps assets. The Contractor is to acknowledge receipt of GFM to the MCA within 15 days of receipt. This can be done by mailing a copy of the DD1348 to Materiel Management Department, Management Control Activity (Code 571-1), 814 Radford Blvd., STE 20320, Albany, GA 31704-0320, or by faxing a copy to commercial telephone number 229-639-5498 or DSN 567-5498.
- 3.5 <u>Contractor Furnished Materiel (CFM)</u>. The Contractor may requisition materiel as required in the performance of the SOW through the DoD Supply System. DoD 4000.25-1-M (MILSTRIP), Chapter 11, provides guidance to contractors on the requisitioning process. The Contractor's decision to utilize CFM procured from the DoD Supply System shall be based upon cost effectiveness, availability of materiel and the required completion/delivery date.
- 3.6 Quality Assurance Provisions. The Contractor shall provide and maintain a Quality System that, as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9001-2000, Quality Management Systems-Requirements.

4.0 Reports. The Contractor shall develop a Test Data Report (TDR), in Contractor format, which references this SOW, the NSN, part number, and serial number of the Voltage Regulator and all sub-assemblies. The TDR shall reference the specific paragraph of Test Requirement 77A100749, CAGE 03538, for all "Performance Requirements" (i.e. the allowable parameters, and quantitative test results). Upon request, the Contractor shall submit a copy of the TDR electronically (preferred), via regular mail, or facsimile to the Logistics Management Specialist (LMS), MCSC (BMADS). Electronic address is: SMBmatcombmads@matcom.usmc.mil. Mailing address is: Commander, Marine Corps Systems Command, Attn: Logistics Management Specialist, BMADS, 814 Radford Blvd., Suite 20343, Albany, GA 31704-0343. The LMS can be reached at commercial telephone number (229) 639-5036, or DSN 567-5036. Facsimiles may be sent to commercial telephone number (229) 639-6545 or DSN 567-6545, Attn: Logistics Management Specialist, BMADS.

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

Designed using Perform Pro, WHS/DIOR, Aug 96

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gethering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Saite 1204, Arington, VA 22202-4302. Respondents should be swear that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently velid DMB control number.

Please DD NOT RETURN your form to the above address. Send completed form

Voltage Regulator AOOI Engineering Change Proposal Configuration Management LAUTHORITY due togetobe downer fet. DI-CMAN-80639C SCW 3.3 LAT TORIN ASSTRUCTURENT ASSEQ IL ANT FOR THAT TRANSPACE LAT YORK A A A INTEREST ASSEQ IL ANT FOR THAT TRANSPACE LAT OF THE TRANSPACE IN A STRUCTURENT ASSEQ See Bilk 16 LAT CONTRACT OF THE TRANSPACE IN A STRUCTURE SEE SEE SEE SEE SEE SEE SEE SEE SEE S	A. CONTRACT LINE	ITEM NO.	B. EXHIBIT	Γ	C. CATEGORY:						
Voltage Regulator AOOI Engineering Change Proposal Configuration Management Lutter and Assemble Recovery Resource Proposal Lutter Assemble Recovery Resource Proposal Lutter Assemble Recovery Resource Assemble Recovery Resource Resource Assemble Recovery Resource Resou			<u> </u>	T							
A001 Engineering Change Proposal Configuration Management A001 Engineering Change Proposal LITTURE OF ACCESSION CONTROL OF THE PROPERTY OF TH	D. SYSTEM/ITEM E. CONTRACT/P Voltage Regulator				NO. F. CONTRACTOR						
AT DI-CMAN-80639C DI-CMAN-80639C LT				l		3. SUBTITLE					
AT DI-CMAN-80639C DI-CMAN-80639C LT ASPERAL SUBMITTED ASPERAL SUBMITTED SUBMISSION SUB	4.001										
DI-CMAN-80639C DISTRIBUTION DISTRIBUTION A STREET ASPECUSE A A THAT STREET SUBMITTED A STREET ASPECUSE A A THAT STREET STREET SUBMITTED A STREET ASPECUSE A A THAT STREET STREET SUBMITTED A CORPSTANT STREET STREET SUBMITTED A CORPSTANT STREET STREET STREET STREET SUBMITTED A CORPSTANT STREET STRE											
12. Date of Pinal's See Bilk 16 12. ASP CORT 12. Date of Pinal's Submission 14. Distribution 15. COPES								A (583))		
A A I TABLE 1			1	CY							
A A Submitted of the contractor format in .doc or .pdf format is authorized. Iks 10 & 12 - ECPs shall be submitted for all proposed changes which erranently affect the bascline of a configuration item. CPs will be reviewed and disposition determined within 30 calendar days upon exceipt by the Government. CPs shall be submitted via e-mail to the following address:		KEUUKED	L					b. COPIES			
MCLBA (583-1)			11. AS OF DA	TE			a. ADDRESSEE	Oraft	<u> </u>		
iks 10 & 12 -ECPs shall be submitted for all proposed changes which ermanently affect the baseline of a configuration item. CPs will be reviewed and disposition determined within 30 calendar days upon ceipt by the Government. CPs shall be submitted via e-mail to the following address: bmatcomconfigmingmnt@matcom.usmc.mil istribution Statement A: Approved for public release, distribution is unlimited.	REMARKS		<u> </u>				MCI BA (583-1)	1		Rapro O	
CPs will be reviewed and disposition determined within 30 calendar days upon eccipt by the Government. CPs shall be submitted via e-mail to the following address: bimatcomconfigmingmin@matcom. usmc. mil isistribution Statement A: Approved for public release, distribution is unlimited.	lk 4 - Contra	•	=				MCLDA (363-1)	· · · ·	ļ -	╁╌┤	
CPs shall be submitted via e-mail to the following address:	lks 10 & 12 - ermanently a	-ECPs shall be sub ffect the baseline of	mitted for of a confi	or all proposed guration item.	changes which						
Distribution Statement A: Approved for public release, distribution is unlimited.	CPs will be receipt by the	reviewed and dispo Government.	osition de	termined with	in 30 calendar day	s upon					
istribution Statement A: Approved for public release, distribution is unlimited.	- '										
	- Interestine Off									$\vdash \vdash \vdash$	
15.TOTAL ————————————————————————————————————	istribution St	tatement A: Appro	oved for	public release,	, distribution is un	limited.	<u> </u>			+-	
15.TOTAL ————————————————————————————————————											
15. TOTAL O 1											
13, TOTAL 0 1				•						igsqcup	
15. TOTAL 0 1									<u> </u>	$\vdash \vdash \vdash$	
15. TOTAL ————————————————————————————————————								-		 	
15. TOTAL											
15. TOTAL								<u> </u>		<u> </u>	
15. TOTAL ————————————————————————————————————								1		\vdash	
15. TOTAL ••••••••••••••••••••••••••••••••••••								+		\vdash	
15. TOTAL ••••• O 1								 	ļ	1	
15. TOTAL O 1											
15. TOTAL 0 1								ļ	<u> </u>	igsquare	
15. TOTAL O 1									 		
15. TOTAL O 1								1	<u> </u>	\vdash	
15. TOTAL O 1											
15. TOTAL O 1											
15. TOTAL O 1								1	<u> </u>	<u> </u>	
15. TOTAL O 1								-	├─	+1	
15. TOTAL O 1									<u> </u>	+-	
15. TOTAL O 1									1	 	
15. TOTAL 0 1											
15. TOTAL 0 1								1		<u> </u>	
15. TOTAL 0 1								<u> </u>	<u> </u>	 	
In the Contract of the Contrac							15 TOTAL	. 0	1	0	
G. PREPARED BY J. DATE I. APPROVED BY J. DATE	. PREPARED BY		····	H. DATE	I. APPROVED E	Y ^				- "	
Jone Collin 18 and 2 Templi 10 DEC 02	Da	e Coll		10 Dan	02 That	(D).	Templi	l l		02	

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and meintaining the data needed, and completing and reviewing the collection of information. Send comments reporting this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (19701-0188), 1215 Jefferson Davis Highway, Suita 1204, Arfington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any pearly for failing to condection of information if it does not display a currently valid OMS control number.

Please DD NOT RETURN your form to the above address. Send completed form to the Government tassing Contracting Officer for the Contract/PR No. Eated in Block E.

A. CONTRACT LINE ITEM NO.		B. EXHIBIT		C. CATEGORY: TDP TM OTHER X						
D. SYSTEM/ITEM		E. CONTRACT/PR								
	tage Regulator									17. PRICE BROW
1. DATA ITEM NO.	2. TITLE OF DATA ITEM				3. SUBTITLE					17. PHICE BROU
A002		Request	Configuration Management							
4. AUTHORITY (Data Acquisition Document No.)			S. CONTRACT REFEREN		L	6. REQUIRING OFFICE				10. ESTIMATED TOTAL PRIC
7. DO 250 REQ	CMAN-80640C	10. FREQUENC	<u> </u>	SOW 3.3 12. DATE OF FIRST SUBMISSION		MCLBA (583) 14. DISTRIBUTION				
LT	REQUIRED			See Blk 1		14.	b. COPIES			
B. APP CODE		11. AS OF DATE		13. DATE OF SUBSEQUENT		a. Addressee	Draft Final			
A	A	<u> </u>		•			<u> </u>	Reg	Repro	
Blk 4 - Contrac	ctor format in .do	c or .pdf	format is auth	orized.		MCLBA (583-1)	0	1	0	
Blks 10 & 12 - nonconforming documentation.										
	eviewed and disp Government.									
RFDs shall be mbmatcomcont										
Distribution Sta	atement A: Appr	oved for	public release,	, distribution is un	limited.					
								<u> </u>		
						-		<u> </u>		
										
							-	<u> </u>		
										11
										ľ
						<u> </u>	-	-	-	'
						<u> </u>				
							ļ			
							ļ			l'i
										
										ľ
							<u> </u>	-		
						-				11
						15. TOTAL	0		0	ľ
G. PRÉPARED BY	Cool.		H. DATE	1. APPROVED B	× ().	Jungli	J. DAT	E DEC C	52	
DD FORM 1423	1, AUG 96 (EG)			EVIOUS EDITION MAY BE	USED.		Page	of	Pages	រូ (រ